MATLAB EXPO 2017

What's New in MATLAB

R2017a and R2017b

Ned Gulley

What's New

- Live Editor
- Tables (Tall Tables, TimeTables)
- Datastores
- Testing & Compatibility
- App Designer
- Text Analytics
- Data Analytics
- Machine Learning & Deep Learning

R2017a

R2017b


What's New


- Live Editor
- Tables (Tall Tables, TimeTables)
- Datastores
- Testing & Compatibility
- App Designer
- Text Analytics
- Data Analytics
- Machine Learning & Deep Learning

R2017a

R2017b

Average Speedup in Customer Workflows





Cody[™]

Problem 661. Spot the outlier

All points except for one lie on a line. Which one is the outlier?

Example:

You are given a list of x-y pairs in a column like this:

You would return the number 3, since the third point is the only one that is non-collinear with the other points. All the others are on the y-axis.

```
outlier = 3
```

Spot the Outlier

Cody Problem 661.

Which point is not on the line?

Spot the Outlier

Cody Problem 661.


Which point is not on the line?

• 4
• 2
• 1

Spot the Outlier

Cody Problem 661.

Which point is not on the line?





CODY

Cody is an online MATLAB problem-solving game that helps you sharpen your programming skills and learn from solutions provided by others. Join the fun as we celebrate Cody's fifth anniversary with a pair of community-contributed problem sets specially designed to offer a variety of challenges for novice and experienced programmers alike.



Complete both problem sets before Jan. 1st to win a limited edition badge.

45

23


59


59

DAYS HOURS

MINS

SECS






Live Editor

Computational documents

- Explore and analyze
 - Context-aware coding guides R2017b
 - See results inline or side-by-side
 - Interactive plots with automatic MATLAB code generation
- Tell stories
 - Add rich text formatting, images, and hyperlinks
 - Interactively enter equations
 - Save directly to PDF, HTML, and LaTeX R2017b
 - High-resolution plots in PDF output




Name	Date modified	Туре	Size
cody_2012_02	9/19/2017 6:37 PM	Microsoft Excel C	1,330 KB
cody_2012_03	9/19/2017 6:40 PM	Microsoft Excel C	547 KB
cody_2012_04	9/19/2017 6:43 PM	Microsoft Excel C	618 KB
cody_2012_05	9/19/2017 6:45 PM	Microsoft Excel C	408 KB
cody_2012_06	9/19/2017 6:48 PM	Microsoft Excel C	439 KB
cody_2012_07	9/19/2017 6:51 PM	Microsoft Excel C	659 KB
cody_2012_08	9/19/2017 6:53 PM	Microsoft Excel C	490 KB
cody_2012_09	9/19/2017 6:56 PM	Microsoft Excel C	417 KB
cody_2012_10	9/19/2017 6:59 PM	Microsoft Excel C	516 KB
cody_2012_11	9/19/2017 7:02 PM	Microsoft Excel C	608 KB
cody_2012_12	9/19/2017 7:04 PM	Microsoft Excel C	517 KB
cody_2013_01	9/19/2017 7:07 PM	Microsoft Excel C	629 KB
a cody_2013_02	9/19/2017 7:10 PM	Microsoft Excel C	478 KB
👪 cody_2013_03	9/19/2017 7:12 PM	Microsoft Excel C	638 KB
cody_2013_04	9/19/2017 7:15 PM	Microsoft Excel C	512 KB
🔊 cody_2013_05	9/19/2017 7:18 PM	Microsoft Excel C	592 KB
👪 cody_2013_06	9/19/2017 7:20 PM	Microsoft Excel C	709 KB
👪 cody_2013_07	9/19/2017 7:23 PM	Microsoft Excel C	978 KB
👪 cody_2013_08	9/19/2017 7:26 PM	Microsoft Excel C	825 KB
👪 cody_2013_09	9/19/2017 7:29 PM	Microsoft Excel C	530 KB
cody_2013_10	9/19/2017 7:31 PM	Microsoft Excel C	684 KB
cody_2013_11	9/19/2017 7:34 PM	Microsoft Excel C	784 KB
cody_2013_12	9/19/2017 7:37 PM	Microsoft Excel C	621 KB
cody_2014_01	9/19/2017 7:39 PM	Microsoft Excel C	616 KB
cody_2014_02	9/19/2017 7:42 PM	Microsoft Excel C	671 KB
cody_2014_03	9/19/2017 7:45 PM	Microsoft Excel C	545 KB
cody_2014_04	9/19/2017 7:47 PM	Microsoft Excel C	417 KB
집 cody_2014_05	9/19/2017 7:50 PM	Microsoft Excel C	482 KB
🖫 cody_2014_06	9/19/2017 7:53 PM	Microsoft Excel C	679 KB
집 cody_2014_07	9/19/2017 7:55 PM	Microsoft Excel C	691 KB
a cody 2014 08	9/19/2017 7:58 PM	Microsoft Excel C	545 KB


Name	Date modified		Type Siz	ze		^			
cody_2012_02	9/19/2017 6:37	PM	Microsoft Excel C	1,330 KB					
cody_2012_03	9/19/2017 6:40	DA4	A	547 KD	_			F	C
cody_2012_04	9/19/2017 6:4	4	А	В	С	D	E	F	G
cody_2012_05	9/19/2017 6:4	1	created_at	lplayer_id	problem_	id	correct	metric	problem_i
cody_2012_06	9/19/2017 6:4	2	3/1/2012 0:03	540	142	54490	0	24	129
cody_2012_07	9/19/2017 6:		3/1/2012 0:06						
cody_2012_08	0.440.42047	3			429	54491		33	369
cody_2012_09		4	3/1/2012 0:07	540	142	54492	. 0	24	129
cody_2012_10 cody_2012_11	9/19/2017 6:: 9/19/2017 7:	5	3/1/2012 0:09	540	142	54493	1	24	129
cody_2012_11		6	3/1/2012 0:12		358	54494	1	10	309
cody_2013_01	9/19/2017 7:	7	3/1/2012 0:18	2025	22	54495	1	21	22
🐼 cody_2013_02	9/19/2017 7:	_							
cody_2013_03	9/19/2017 7:	8	3/1/2012 0:24	540	325	54496	0	0	278
cody_2013_04	9/19/2017 7:	9	3/1/2012 0:25	540	325	54497	' O	0	278
cody_2013_05	9/19/2017 7:	10	3/1/2012 0:26	540	325	54498	0	0	278
cody_2013_06	9/19/2017 /:								
cody_2013_07		11	3/1/2012 0:29			54499		42	369
cody_2013_08		12	3/1/2012 0:45	540	325	54500	0	0	278
cody_2013_09 cody_2013_10	9/19/2017 7:	13	3/1/2012 0:48	307	419	54501	. 0	24	361
cody_2013_10		14	3/1/2012 0:51		419	54502	1	24	361
cody_2013_12	0/10/2017 7								
cody_2014_01	9/19/2017 7:	15	3/1/2012 0:54	1876	149	54503	1	10	136
cody_2014_02	9/19/2017 7:4	16	3/1/2012 1:05	1675	255	54504	0	83	225
cody_2014_03	9/19/2017 7:4	17	3/1/2012 1:06	1675	255	54505	0	83	225
🐼 cody_2014_04	9/19/2017 79		3/1/2012 1:06						
cody_2014_05	9/19/2017 7:	18	3/ 1/ 2012 1:00	1675	255	54506	0	83	225
cody_2014_06	9/19/2017 7:53		Microsoft Excel C	679 KB					
cody_2014_07	9/19/2017 7:55		Microsoft Excel C	691 KB					
🖾 codv 2014 08	9/19/2017 7:58	PM	Microsoft Excel C	545 KB					

```
fileID = fopen(filename);
C = textscan(fileID,'%s %s %f32 %d8 %u %f %f %s %f');
fclose(fileID);
whos C
```

```
fileID = fopen(f/ilename);
C = textsdan(fileID) '%s %s %f32 %d8 %u %f %f %s %f');
fclose(fileID);
whos C
```

Animation





Cody Analysis

```
tbl = readtable('cody_2012_03.csv')
```

 $tbl = 13694 \times 7 \ table$

created_at	player_id	problem_id	id	correct	metric	problem_index
01-Mar-2012 00:03:22	540	142	54490	Θ	24	129
01-Mar-2012 00:06:38	43	429	54491	1	33	369
01-Mar-2012 00:07:13	540	142	54492	Θ	24	129
01-Mar-2012 00:09:30	540	142	54493	1	24	129
01-Mar-2012 00:12:23	540	358	54494	1	10	309
01-Mar-2012 00:18:17	2025	22	54495	1	21	22
01-Mar-2012 00:24:19	540	325	54496	Θ	Θ	278
01-Mar-2012 00:25:40	540	325	54497	Θ	Θ	278
01-Mar-2012 00:26:54	540	325	54498	Θ	Θ	278
01-Mar-2012 00:29:24	19	429	54499	1	42	369
01-Mar-2012 00:45:53	540	325	54500	Θ	Θ	278
01-Mar-2012 00:48:23	307	419	54501	Θ	24	361
01-Mar-2012 00:51:42	307	419	54502	1	24	361
01 Max 2012 00 E4 E0	1076	140	EVEND	1	10	126



Cody Analysis

1

tbl = readtable('cody_2012_03.csv')


tbl = 13694×7 table


	created_at	player_id	problem_id	id	correct	metric	problem_index
1	01-Mar-20	540	142	54490	0	24	129
2	01-Mar-20	43	429	54491	1	33	369
3	01-Mar-20	540	142	54492	0	24	129
4	01-Mar-20	540	142	54493	1	24	129
5	01-Mar-20	540	358	54494	1	10	309
6	01-Mar-20	2025	22	54495	1	21	22
7	01-Mar-20	540	325	54496	0	0	278
8	01-Mar-20	540	325	54497	0	0	278
9	01-Mar-20	540	325	54498	0	0	278
10	01-Mar-20	19	429	54499	1	42	369


height(tbl)

ans = 13694


Animation








Animation




```
scatter(tbl.player_id,tbl.problem_index,abs(tbl.metric)/5+1,tbl.correct,'o')
colormap([1 0 0;0 0.8 0])
title('Solutions by Player and Problem')
xlabel('Player Number')
ylabel('Problem Number')
box on
grid on
xlim([0 2000])
ylim([0 400])
```



Cody Analysis

```
% tbl = readtable('cody_2012_03.csv')
      % height(tbl)
      ds = datastore('cody_*.csv');
      tbl = tall(ds);
      Starting parallel pool (parpool) using the 'local' profile ...
      connected to 6 workers.
      height(tbl)
      ans =
        tall double
      Preview deferred. Learn more.
6
      gather(height(tbl))
      Evaluating tall expression using the Parallel Pool 'local':
      ans = 1108534
```

```
8
       scatter(tbl.created_at,tbl.problem_index,'.','MarkerEdgeAlpha',0.2)
       grid on
10
11
       title('Cody Solutions')
12
       xlabel('Date')
13
      ylabel('Problem Index')
14
15
       xlim([datetime(2012,1,1)...
16
            datetime(2018,1,1)])
17
      ylim([0 3500])
```



31

tt = table2timetable(tbl)

tt =

M×6 tall timetable

created_at	player_id	problem_id	id	correct	metric	р
						-
01-Feb-2012 00:00:07	820	94	20399	1	25	9
01-Feb-2012 00:00:23	820	94	20400	1	24	9
01-Feb-2012 00:00:31	562	30	20401	0	22	3
01-Feb-2012 00:00:36	361	31	20402	1	14	3
01-Feb-2012 00:01:02	562	30	20403	0	24	3
01-Feb-2012 00:01:12	562	30	20404	1	24	3
01-Feb-2012 00:01:25	562	30	20405	1	23	3
01-Feb-2012 00:01:30	361	60	20406	0	22	6
:	:	:	:	:	:	:
:	:	:	:	:	:	:

```
load(fullfile(matlabroot, 'examples', 'matlab', 'indoors'));
load(fullfile(matlabroot, 'examples', 'matlab', 'outdoors'));
in = indoors(1:5,:)
```

 $in = 5 \times 2 \ timetable$

	Humidity	AirQuality
1 2015-11-15 00:00:24	36	80
2 2015-11-15 01:13:35	36	80
3 2015-11-15 02:26:47	37	79
4 2015-11-15 03:39:59	37	82
5 2015-11-15 04:53:11	36	80

```
out = outdoors(1:5,:)
```

 $out = 5 \times 3 timetable$

	Humidity	TemperatureF	PressureHg
1 2015-11-15 00:00:24	49.0000	51.3000	29.6100
2 2015-11-15 01:30:24	48.9000	51.5000	29.6100
3 2015-11-15 03:00:24	48.9000	51.5000	29.6100
4 2015-11-15 04:30:24	48.8000	51.5000	29.6100
5 2015-11-15 06:00:24	48.7000	51.5000	29.6000

Indoor Humidity, Air Quality

Outdoor Humidity, Temperature, Pressure

```
load(fullfile(matlabroot, 'examples', 'matlab', 'indoors'));
load(fullfile(matlabroot, 'examples', 'matlab', 'outdoors'));
in = indoors(1:5,:)
```

 $in = 5 \times 2 \ timetable$

	Humidity	AirQuality
1 2015-11-15 00:00:24	36	80
2 2015-11-15 01:13:35	36	80
3 2015-11-15 02:26:47	37	79
4 2015-11-15 03:39:59	37	82
5 2015-11-15 04:53:11	36	80

```
out = outdoors(1:5,:)
```

 $out = 5 \times 3 timetable$

	Humidity	TemperatureF	PressureHg
1 2015-11-15 00:00:24	49.0000	51.3000	29.6100
2 2015-11-15 01:30:24	48.9000	51.5000	29.6100
3 2015-11-15 03:00:24	48.9000	51.5000	29.6100
4 2015-11-15 04:30:24	48.8000	51.5000	29.6100
5 2015-11-15 06:00:24	48.7000	51.5000	29.6000

Synchronize!

```
tt = synchronize(indoors,outdoors);
tt(1:5,:)
```

 $ans = 5 \times 5 timetable$

	Humidity_in	AirQuality	Humidity_ou	TemperatureF
1 2015-11-15 00:00:24	36	80	49.0000	51.3000
2 2015-11-15 01:13:35	36	80	NaN	NaN
3 2015-11-15 01:30:24	NaN	NaN	48.9000	51.5000
4 2015-11-15 02:26:47	37	79	NaN	NaN
5 2015-11-15 03:00:24	NaN	NaN	48.9000	51.5000

```
load(fullfile(matlabroot, 'examples', 'matlab', 'indoors'));
load(fullfile(matlabroot, 'examples', 'matlab', 'outdoors'));
in = indoors(1:5,:)
```

 $in = 5 \times 2 \text{ timetable}$

	Humidity	AirQuality
1 2015-11-15 00:00:24	36	80
2 2015-11-15 01:13:35	36	80
3 2015-11-15 02:26:47	37	79
4 2015-11-15 03:39:59	37	82
5 2015-11-15 04:53:11	36	80

```
out = outdoors(1:5,:)
```

$out = 5 \times 3 timetable$

	Humidity	TemperatureF	PressureHg
1 2015-11-15 00:00:24	49.0000	51.3000	29.6100
2 2015-11-15 01:30:24	48.9000	51.5000	29.6100
3 2015-11-15 03:00:24	48.9000	51.5000	29.6100
4 2015-11-15 04:30:24	48.8000	51.5000	29.6100
5 2015-11-15 06:00:24	48.7000	51.5000	29.6000

Synchronize with Interpolation

```
ttLinear = synchronize(indoors,outdoors, 'union', 'linear');
ttLinear(1:5,:)
```

 $ans = 5 \times 5 timetable$

	Humidity_in	AirQuality	Humidity_ou	TemperatureF
1 2015-11-15 00:00:24	36.0000	80.0000	49.0000	51.3000
2 2015-11-15 01:13:35	36.0000	80.0000	48.9187	51.4626
3 2015-11-15 01:30:24	36.2297	79.7703	48.9000	51.5000
4 2015-11-15 02:26:47	37.0000	79.0000	48.9000	51.5000
5 2015-11-15 03:00:24	37.0000	80.3777	48.9000	51.5000

```
load(fullfile(matlabroot, 'examples', 'matlab', 'indoors'));
load(fullfile(matlabroot, 'examples', 'matlab', 'outdoors'));
in = indoors(1:5,:)
```

 $in = 5 \times 2 \ timetable$

	Humidity	AirQuality
1 2015-11-15 00:00:24	36	80
2 2015-11-15 01:13:35	36	80
3 2015-11-15 02:26:47	37	79
4 2015-11-15 03:39:59	37	82
5 2015-11-15 04:53:11	36	80

```
out = outdoors(1:5,:)
```

out = 5×3 timetable

	Humidity	TemperatureF	PressureHg
1 2015-11-15 00:00:24	49.0000	51.3000	29.6100
2 2015-11-15 01:30:24	48.9000	51.5000	29.6100
3 2015-11-15 03:00:24	48.9000	51.5000	29.6100
4 2015-11-15 04:30:24	48.8000	51.5000	29.6100
5 2015-11-15 06:00:24	48.7000	51.5000	29.6000

Retime


```
newTimes = min(ttLinear.Time):minutes(30):max(ttLinear.Time);
ttEven = retime(ttLinear,newTimes,'spline');
ttEven(1:5,:)
```

 $ans = 5 \times 5 timetable$

ureF
1.3000
1.3312
1.4225
1.5000
1.5124


```
ttCorrect = tt(:.'correct'):
ttMean = retime(ttCorrect,'weekly','mean');

plot(ttMean.created_at,ttMean.correct)
xlim([datetime(2012,1,1) datetime(2018,1,1)])
ylim([0 1])
grid on
```




```
ttCorrect = tt(:,'correct');
ttMean = retime(ttCorrect', 'monthly', 'mean');

plot(ttMean.created_at,ttMean.correct)
xlim([datetime(2012,1,1) datetime(2018,1,1)])
ylim([0 1])
grid on
```




```
48
       m = mean(tt.correct)
        m =
          tall double
        Preview deferred. Learn more.
49
       gather(m)
        Evaluating tall expression using the Parallel Pool 'local':
        - Pass 1 of 1: Completed in 3 sec
        Evaluation completed in 3 sec
        ans = 0.5021
```


```
ttCount = retime(ttCorrect,'weekly','count');
plot(ttCount.created_at,ttCount.correct)
xlim([datetime(2012,1,1) datetime(2018,1,1)])
ylim([0 15000])
grid on
```



Redesigned Documentation

- More examples
- More domain-specific information
- Improved discoverability
- Release Notes filtering
 - More easily find changes across releases
 - Highlight only changes that have incompatibility considerations






Code Compatibility Report



- Tool to help upgrade code to latest and greatest
- Identifies potential compatibility issues
- Hundreds of checks for incompatibilities, errors, and warnings
- More features coming!




Test Frameworks

- MATLAB Unit Testing Framework
 - Test your code early and often
 - xUnit style framework
 - Script / function / class based testing
 - Works with continuous integration servers
 - Automatic reporting
 - Mocking framework



- Capture screenshots
- Performance Testing Framework
 - Time MATLAB code automatically
 - Track performance over time



Data Preprocessing


Easier ways to clean up messy data

 Smooth noisy data with filtering or local regression using smoothdata

R2017a

 More easily deal with outliers with isoutlier and filloutliers

R2017c





Analyze Data

Intuitive data processing

Detect local minima and maxima R2017b using islocalmin and islocalmax


Detect abrupt changes R2017b
 in data with ischange







App Designer


- Enhanced design environment
 - Component alignment guides
 - Simpler property inspectors
 - Intuitive menu bar interface R2017b
- Expanded UI component set
 - Gauges, dials, tabbed interfaces, and more...
- Improved code and coding tools
 - Object-based code format
 - Property and method management
 - Code refactoring




Run App Designer apps in MATLAB Online R2017b



















Figure 1



Cody Problem 661.

Which point is not on the line?




• 5

Cody Problem 661.

Which point is not on the line?


tri = delaunay(pts)




Cody Problem 661.

Which point is not on the line?

tri = delaunay(pts)







Cody Problem 661.

Which point is not on the line?

tri = delaunay(pts)







Cody Problem 661.

Which point is not on the line?

```
tri = delaunay(pts)
index = mode(tri(:))
```





mode(reshape(delaunay(pts),1,[]))

What's New

- Live Editor
- Tables (Tall Tables, TimeTables)
- Datastores
- Testing & Compatibility
- App Designer
- Text Analytics
- Data Analytics
- Machine Learning & Deep Learning

R2017a

R2017b